

Date of Issue: 20/05/2019

Expiry: 01/06/2024

**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Company Name **ECP Limited**  
 Address: 39 Woodside Ave, Northcote, Auckland , New Zealand

Emergency Tel: 0800 243 622 or .....0800 CHE M CA LL	Tel +64 9 480 4386	FAX +64 9 480 4385
---	--------------------	--------------------

<b>Product</b>	Petroleum Spirit 100-120				<b>Code</b>	A9604
<b>CAS#</b>	<b>HSNO#</b>	<b>UN #</b>	<b>DG Class/es</b>	<b>Packing group #</b>	<b>Tracking?</b>	<b>Handlers Certificate?</b>
64475-85-0	HSR007342	1268	3	III	No	No

**Recommended use:** Laboratory Investigations

**2. Hazards identification**

2.1 GHS Classification

Flammable Liquids (Category C), H226

Skin irritation (Category A), H315

Eye irritation (Category A), H319

2.2 GHS Label elements, including precautionary statements



Pictogram Signal word **Warning**

Hazard statement(s)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statement(s)

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. Composition/information on ingredients

Substance/Mixture: Substance

3.1 Substances

Synonyms:

Ligroin

Petroleum spirits

CAS No.: 64475-85-0

Component	Classification	Concentration
Alkanes		
	3.1 C; 6.3 A; 6.4 A; H226, H315, H319	<= 100%

### 4. First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder

Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal.

## **7. Handling and storage**

### **7.1 Precautions for safe handling**

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

### **7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## **8. Exposure controls/personal protection**

### **8.1 Control parameters**

Occupational Exposure Limits

No exposure limits have been set.

### **8.2 Exposure controls**

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type or respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **9. Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance

Form: liquid

b) Initial boiling point and boiling range

179 - 210 °C - lit.

c) Flash point

>= 44 °C - closed cup

d) Vapour pressure

1.00 - 2.00 hPa at 20 °C

e) Relative density

0.752 g/cm<sup>3</sup> at 25 °C

## 10. Stability and reactivity

10.1 Chemical stability

Stable under recommended storage conditions.

10.2 Conditions to avoid

Heat, flames and sparks.

## 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 7,500 mg/kg

LD50 Dermal - Rabbit - > 2,000 mg/kg

Carcinogenicity

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans

Aspiration Hazard

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## 12. Ecological information

12.1 Toxicity

Toxicity to algae

IC50 - *Pseudokirchneriella subcapitata* (green algae) - 3,000 mg/l - 72 h

12.2 Persistence and degradability

Biodegradability

Biotic/Aerobic

Result: 8 - 22 % - Partially biodegradable.

## 13. Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Contaminated packaging

Dispose of as unused product.

#### 14. Transport Information Table

		<b>ADR/RID – European packaging certification</b>	<b>IMDG International Maritime Dangerous Goods Code</b>	<b>IATA – DGR International Air Travel Association – Dangerous Goods Regulations</b>
<b>14.1</b>	<b>UN Number</b>	1268	1268	1268
<b>14.2</b>	<b>UN Proper Shipping name</b>	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.
<b>14.3</b>	<b>Transport Hazard Class</b>	3	3	3
<b>14.4</b>	<b>Packaging group</b>	III	III	III
<b>14.5</b>	<b>Environmental Hazards</b>	No	No	No
<b>14.6</b>	<b>Special precautions for user</b>	None		

#### 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

HSNO Approval Code: HSR007342

HSNO Group Standard Approval: HSR002596 - Laboratory Chemicals and Reagent Kits Group  
Standard 2006

Tracking Required: not required

Approved Handler Cert.: not required

#### 16. Disclaimer

The information above is believed to be accurate and represents the best information currently available to us. However, the information is not a guarantee expressed or implied, with respect to such information, and we assume no liability resulting from its use. Anyone using the chemical described here should ensure that he or she has the appropriate training and has the expertise and any equipment required for safe handling. If clarification or further information is required, please contact ECP Ltd or refer to the official handler of dangerous goods within your own company. The user should also make their own investigations to determine the suitability of the product for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

---

\*\*\*\*END\*\*\*\*\*END\*\*\*\*\*END\*\*\*\*\*END\*\*\*\*\*END\*\*\*\*\*END\*\*\*\*